

Bitte wählen Sie hier:

Home

Sitemap

Faq

Email

Kontaktforr

>> Inhalte

→ Technische Daten

- → Aktuelles
- **₽** Produkte
- → Preisliste
- **→ Technische Daten**
- → Service
- → Industrieanwendungen
- → Dienstleistung



| ArtNr,- | Abb. | Betriebs- spannung von - bis V ≅ | Strom- aufnahm ca. mA |
|--|----------------------------|---|--|
| 5 6 7 | 1 1 1 | 4,5 - 6 10 - 14 11 - 16 | 260 140 140 |
| 9 10 11 12 | 2 2 2 2 | 8 - 14 10 - 16 16 - 22 16 - 22 | 140 130 70 70 |
| 99 100 | 2 | 8 - 14 10 - 16 | 140 120 |
| 20 24 21 22 23 27 28 | 3 3 4 4 7 7 | 10 - 16 16 - 22 10 - 16 10 - 16 16 - 22 10 - 16 16 - 22 | 120 70 120 120 70 120 70 |
| 117 | 5 | 16 - 18 | 50 |
| 490 491 500 501 503 | 6 6 6 6 | 6 - 7 6 - 7 8 - 12 8 - 12 10 - 16 | 800 800 700 700 350 |
| 10 | N F 100 | Maße in mm 3.5 ⊢ | 4,5 F |
| 38 | - 24 | +25 | 36 |
| Abb. 1 | Abb. 2 | Abb. 3 | Abb. 4 Abb. 5 |

Additional Embad and Detricosumenting negripor

Copyright (c) by seuthe-dampf.de